







## Snapshot of Victoria's 2016 influenza season – 16 October, 2016

## **Key points**

- As at 16 October, influenza-like illness (ILI) activity in the community remained at baseline levels.
- As at 16 October, the number of notified cases of influenza year-to-date was 42% lower than for the same time in 2015.
- The 2016 influenza season is over. After peaking between late August and early September, ILI has returned to baseline levels and notified cases are in sharp decline.

The following figure and table compare the main findings from the notifiable disease and GP sentinel surveillance systems for this year and last year.

Figure. Routinely notified influenza cases and VicSPIN influenza-like illness (ILI) consultation proportion in Victoria, 2015-2016.




Table. Comparison of notified cases of influenza and influenza-like illness for week ending 16 October (week 41) in 2015 and 2016.

	2016	2015
Number of notified influenza cases for the week	48*	187
Number of notified influenza cases for the year-to-date	9,577	16,478
ILI proportion for the week (per 1,000 patients)	2.2	1.8
Peak ILI proportion observed for the year (per 1,000 patients)	8.1 (week 31)	10.5 (week 35)

<sup>\*</sup> Likely to be revised up as data are updated.

Victoria experiences an influenza season each year. Most cases are usually reported between June and September, but the commencement, duration and size of each season varies from year to year.

Epidemiologists and virologists at The Royal Melbourne Hospital's Victorian Infectious Diseases Reference Laboratory (VIDRL) at the Doherty Institute, in partnership with the Victorian Government Department of Health and Human Services, conduct surveillance to monitor influenza activity in Victoria.

This page describes the key features of the surveillance for influenza-like illness collected from two sources:

- Notifiable disease surveillance is conducted by the Victorian Government Department of
  Health and Human Services. All cases of laboratory confirmed influenza diagnosed by doctors
  or laboratories in Victoria must be notified to the department. Numbers reported may vary
  from week-to-week as notifications data are updated.
- The Victorian Sentinel Practice Influenza Network (VicSPIN) is a network of about 100 Victorian GPs who submit weekly reports about the proportion of their patients with influenza-like illness (a clinical syndrome used as a proxy for influenza activity) and samples for testing.

## **Further information**

More detailed analysis about the influenza season from VicSPIN, DHHS and other data sources is provided in the <a href="http://www.vidrl.org.au/surveillance/influenza-surveillance/">http://www.vidrl.org.au/surveillance/influenza-surveillance/</a>. For media enquiries, please contact the Doherty Institute's Communications Manager, Rebecca Elliott, on (03) 8344 8360 or rebecca.elliott@unimelb.edu.au or DHHS media on (03) 9096 8840.